



# CFE Portable Power Station

- CFE PPS 160
- CFE PPS 300
- CFE PPS 500
- CFE PPS 500R
- CFE PPS 1200









# PPS 160

## Portable Power Station



Two USB-A ports support QC2.0, QC3.0, AFC and other fast charging protocols.  
As well as Input/output 60W PD charging.

Rated power: 160W	Rated capacity: 204Wh	Standard capacity: 3.2V64000mAh
Overload protection: 200W±20W	AC output: 110V±10%	Output waveform: Modified sine wave
USB output: QC3.0/18W	Type-C output: PD30W	Type-C input/output: PD60W
Cigarret lighter output: 12V/10A	DC 5521 output: 12V/10A	Charging input Voltage: 10.8-23.5V
Working temperature: 0-40°C	Weight(Net weight):about 2.4kg	Weight(with accessories):about 3kg
	Dimension: 120 x 175 x 200mm	

 Notebook (56W) Power station for about 3.3 hours	 Mobile phone (12.4W) Power station for about 14.9 hours
 Camera (28W) Power station for about 6.6 hours	 Speaker (20W) Power station for about 9.2 hours
 Car refrigerator (65W) Power station for about 2.8 hours	 Drone (22.2W) Power station for about 62 hours
 Tablet (30W) Power station for about 6.1 hours	 Outdoor light (4W) Power station for about 46 hours









# PPS 300

## Portable Power Station



The two USB-A ports support QC2.0, QC3.0, AFC and other fast charging protocols, as well as 60W PD charging. The total output of AC and DC up to 528W.

Rated power: 300W	Rated capacity: 320Wh	Standard capacity: 3.2V10000mAh
Overload protection: 600W±20W	AC output: 110V±10%	Output waveform: Pure sine wave
USB output: QC3.0/18W	Type-C output: PD30W	Type-C input/output: PD60W
Cigarette lighter output: 12V/10A	DC 5521 output: 12V/10A	Charging input Voltage: 10.8-23.5V
Working temperature: 0~40°C	Weight(Net weight):about 3.6kg	Weight(with accessories):about 4kg
	Dimension: 161 x 195 x 230mm	

 Notebook (56W) Power station for about 5.1 hours	 Mobile phone (12.4W) Power station for about 23.2 hours
 Camera (28W) Power station for about 10.3 hours	 Speaker (20W) Power station for about 14.4 hours
 Car refrigerator (65W) Power station for about 4.4 hours	 Drone (22.2W) Power station for about 13 hours
 Tablet (30W) Power station for about 9.6 hours	 Outdoor light (4W) Power station for about 72 hours









# PPS 500

## Portable Power Station



4-inch large screen shows charging, discharging, power and battery status during use. Equipped with input/output 100W PD (20V/5A) which can meet most digital products charging. Support 100W solar charging.

Rated power: 500W	Rated capacity: 518Wh	Standard capacity: 3.2V162000mAh
Overload protection: 1000W±80W	AC output: 110V±10%	Output waveform: Pure sine wave
USB output: QC3.0/18W	Type-C output: PD60W	Type-C input/output: PD100W
Cigarret lighter output: 12V/10A	DC 5521 output: 12V/10A	Charging input Voltage: 10.8-23.5V
Working temperature: 0~40°C	Weight(Net weight):about 6.5kg	Weight(with accessories):about 7kg
	Dimension: 175 x 237 x 283mm	









 Notebook (56W) Power station for about 8.3 hours	 Mobile phone (12.4W) Power station for about 37.6 hours
 Camera (28W) Power station for about 16.6 hours	 Speaker (20W) Power station for about 23.3 hours
 Car refrigerator (65W) Power station for about 7.2 hours	 Drone (22.2W) Power station for about 21 hours
 Tablet (30W) Power station for about 15.5 hours	 Outdoor light (4W) Power station for about 116.5 hours

# PPS 500R

## Portable Power Station



Rated power: 500W	Rated capacity: 518Wh	Standard capacity: 3.2V16200mAh
Overload protection: 1000W±80W	AC output: 110V±10%	Output waveform: Pure sine wave
USB output: QC3.0/18W	Type-C output: PD60W	Type-C input/output: PD100W
Cigarret lighter output: 12V/10A	DC 5521 output: 12V/10A	Charging input Voltage: 10.8-23.5V
Working temperature: 0~40°C	Dimension: 274mm x 188mm x 186mm	

 Notebook (56W) Power station for about 8.3 hours	 Mobile phone (12.4W) Power station for about 37.6 hours
 Camera (28W) Power station for about 16.6 hours	 Speaker (20W) Power station for about 23.3 hours
 Car refrigerator (65W) Power station for about 7.2 hours	 Drone (22.2W) Power station for about 21 hours
 Tablet (30W) Power station for about 15.5 hours	 Outdoor light (4W) Power station for about 116.5 hours









# PPS 1200

## Portable Power Station



Support AC input and output fast charging.  
 600W charging power, 500W solar charging .  
 Up to 1100W when AC and solar charging at the same time.  
 The device can be fully charged from 0 to 100% within 1.5H.

Rated power: 1200W	Rated capacity: 1331Wh	Standard capacity: 3.2V415000mAh
Overload protection: 2000W±100W	AC output: 110V±10%	Output waveform: Pure sine wave
USB1 output: 5V 2.4A	USB2 output: QC3.0/18W	Type-C*2 output: PD100W
DC 5521 output: 12V/6A	igaret lighter output: 12V/15A	AC input: 110V 600W
XT60 charging input voltage: 12-40V 500W	Weight(Net weight):about 14.5kg	Working temperature: 0~40°C
Dimension: 238*250*390mm	Weight(with accessories):about 15kg	

 Notebook (56W) Power station for about 21.4 hours	 Mobile phone (12.4W) Power station for about 96.8 hours
 Camera (28W) Power station for about 42.8 hours	 Speaker (20W) Power station for about 60 hours
 Car refrigerator (65W) Power station for about 18.5 hours	 Drone (22.2W) Power station for about 54 hours
 Tablet (30W) Power station for about 40 hours	 Outdoor light (4W) Power station for about 300 hours



First-class power battery system supplier  
First-class supplier of energy storage and microgrid



Fortune Global 500  
Global Exclusive Distributor

Contact Us

CNBM INTERNATIONAL CORPORATION

Claire Huang

Cellphone: +8613521257950

E: [clairehuang@cnbmcm.com](mailto:clairehuang@cnbmcm.com)

Address: 17th Floor, NO.4 Building, Zhuyu Business  
Center, Shouti South Road, Haidian District, Beijing, China

Postcode: 100048